L Number	Hits	Search Text	DB	Time stamp
1	2	5659690.pn.	USPAT; US-PGPUB;	2003/12/10 10:30
2	2	4905184.pn.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/10 10:01
3	2	4864291.pn.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/10 10:01
4	0	"adds the scb to a queue"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/10 10:30
5	0	"adds the scb"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:30
6	29	5659690.URPN.	IBM_TDB USPAT	2003/12/10
-	6	5659690.pn. 5625800.pn. 5564023.pn.	USPAT; US-PGPUB;	10:30 2003/12/02 10:03
-	0	(710/2.ccls) and @ad<20010531	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:04
_	262	(710/2.ccls.) and @ad<20010531	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:17
_	275	(710/3.ccls.) and @ad<20010531	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:37
-	759	(710/8.ccls.) and @ad<20010531	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:48
-	266	(710/9.ccls.) and @ad<20010531	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:59
-	218	(710/300.ccls.) and @ad<20010531	IBM_TDB USPAT; US-PGPUB;	2003/12/02 11:11
-	765	(710/107.ccls.) and @ad<20010531	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02 11:16

_	175	(710/112.ccls.) and @ad<20010531	USPAT; US-PGPUB;	2003/12/02 12:50
			EPO; JPO; DERWENT;	
			IBM TDB	
-	123	("I/O control blocks") and @ad<20010531	USPĀT;	2003/12/02
			US-PGPUB; EPO; JPO;	13:41
			DERWENT;	
	116	/UT/0	IBM_TDB USPAT;	2003/12/02
-	110	("I/O control" same pointer) and @ad<20010531	US-PGPUB;	14:01
			EPO; JPO;	
1			DERWENT; IBM TDB	
-	59	(scsi same array same pointer) and	USPĀT;	2003/12/02
		@ad<20010531	US-PGPUB; EPO; JPO;	14:46
			DERWENT;	!
		/ · · · · · · · · · · · · · · · · · · ·	IBM_TDB	2002/12/02
-	8	(scsi same array same pointer same page) and @ad<20010531	USPAT; US-PGPUB;	2003/12/02 14:53
		-	EPO; JPO;	
			DERWENT; IBM TDB	
-	5	\	USPĀT;	2003/12/02
		and @ad<20010531	US-PGPUB; EPO; JPO;	14:54
			DERWENT;	
			IBM_TDB	2002/12/02
-	64	(scb same array) and @ad<20010531	USPAT; US-PGPUB;	2003/12/03 08:13
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1	"6049526".PN.	USPAT	2003/12/02
_	1	"5627745".PN.	USPAT	15:31 2003/12/02
				15:32
-	598	(pointer same page same first same second) and @ad<20010531	USPAT; US-PGPUB;	2003/12/02 15:33
		second, and ead 20010331	EPO; JPO;	13.33
			DERWENT; IBM TDB	
_	391	 (pointer with page same first same	USPAT;	2003/12/02
		second) and @ad<20010531	US-PGPUB;	15:35
			EPO; JPO; DERWENT;	
			IBM_TDB	2002/12/22
_	20	(pointer same page same "first portion" same "second portion") and @ad<20010531	USPAT; US-PGPUB;	2003/12/02 15:40
			EPO; JPO;	
			DERWENT;	
_	451	(pointer same page same array) and	USPAT;	2003/12/02
		@ad<20010531	US-PGPUB; EPO; JPO;	15:40
			DERWENT;	
		/	IBM_TDB	2002/12/02
-	68	(pointer same page same array same first same second) and @ad<20010531	USPAT; US-PGPUB;	2003/12/02 15:42
			EPO; JPO;	
			DERWENT;	
_	250		USPAT;	2003/12/02
		@ad<20010531	US-PGPUB; EPO; JPO;	15:42
			DERWENT;	
	L		IBM_TDB	1

_	133	(pointer with page with array) and	USPAT;	2003/12/02
		@ad<20010531	US-PGPUB;	15:48
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	280	(pointer with "page table") and	USPAT;	2003/12/02
		@ad<20010531	US-PGPUB;	15:49
			EPO; JPO;	
	ĺ		DERWENT;	
	İ		IBM_TDB	
-	17	(reconnect same scsi same tag) and	USPAT;	2003/12/03
		@ad<20010531	US-PGPUB;	08:32
]		EPO; JPO;	ļ
			DERWENT;	
			IBM_TDB	ļ
_	6	((reconnect\$3 same scsi same tag\$3) and	USPAT;	2003/12/03
		@ad<20010531) not ((reconnect same scsi	US-PGPUB;	09:02
		same tag) and @ad<20010531)	EPO; JPO;	
		•	DERWENT;	
			IBM TDB	ļ
-	26	((pointer same scsi same tag\$3) and	USPAT;	2003/12/03
		@ad<20010531) not ((reconnect same scsi	US-PGPUB;	09:43
		same tag) and @ad<20010531)	EPO; JPO;	
	1		DERWENT;	
	Í		IBM TDB	
_	0	("reconnecting target address") and	USPAT;	2003/12/03
		@ad<20010531	US-PGPUB;	13:02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	13	(paging same "address pointer") and	USPAT;	2003/12/03
		@ad<20010531	US-PGPUB;	13:04
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	1
l <u> </u>	796	(paging same search) and @ad<20010531	USPAT;	2003/12/03
		(paging bame bearen, and can be be	US-PGPUB;	13:05
į	1		EPO; JPO;	.
İ			DERWENT;	
			IBM TDB	
_	362	(paging with search) and @ad<20010531	USPAT;	2003/12/03
		(Fugure near contain, and out a contain	US-PGPUB;	13:14
į	i		EPO; JPO;	
			DERWENT;	
!			IBM TDB	
_	2	("memory paging" with search) and	USPAT;	2003/12/03
	1	@ad<20010531	US-PGPUB;	13:06
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
1 _	11	(paging same pointer with increment) and	USPAT;	2003/12/03
		Qad<20010531	US-PGPUB;	13:06
			EPO; JPO;	
1			DERWENT;	1
1			IBM TDB	1
1_	12	(paging with search same pointer) and	USPAT;	2003/12/03
		(paging with search same pointer) and (ad<20010531	US-PGPUB;	13:20
			EPO; JPO;	13.20
			DERWENT;	
			IBM TDB	1
l _	84	(memory same ((increment increase) adj	USPAT;	2003/12/03
		page)) and @ad<20010531	US-PGPUB;	13:31
		page// and gad/20010331	EPO; JPO;	1 23.31
			DERWENT;	1
			IBM TDB	
l _	66	(/memory same (/increment increase) add	USPAT;	2003/12/03
-	00	((memory same ((increment increase) adj page)) not "increase page hits") and	US-PGPUB;	13:32
	I	page)) not "increase page nits") and @ad<20010531	EPO; JPO;	13.32
	1	eau\20010331	DERWENT;	
]	1			
l _	L	<u> </u>	IBM_TDB	L

-	6	((memory same ((increment increase) adj	USPAT;	2003/12/03
		"page number")) not "increase page hits")	US-PGPUB;	13:40
		and @ad<20010531	EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	3		USPAT;	2003/12/03
ļ		and @ad<20010531	US-PGPUB;	13:41
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	3	((memory same ("increase page number")))	USPAT;	2003/12/03
		and @ad<20010531	US-PGPUB;	14:41
			EPO; JPO;	
			DERWENT;	i
			IBM_TDB	1 2222 / 1 2 / 2 2
-	18	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/03
		@ad<20010531	US-PGPUB;	16:21
			EPO; JPO;	
			DERWENT;	
	[]	0.645.20	IBM_TDB	2002/12/02
-	1	964532.apn.	USPAT;	2003/12/03
			US-PGPUB;	15:20
			EPO; JPO;	
			DERWENT;	
		064530	IBM_TDB	2003/12/03
-	4	964532.ap.	USPAT;	2003/12/03
			US-PGPUB;	15:20
	İ		EPO; JPO;	
			DERWENT;	
	007	(IBM_TDB	2002/12/02
_	997	1 12 31	USPAT;	2003/12/03
1		@ad<20010531	US-PGPUB;	16:22
			EPO; JPO;	
			DERWENT;	
	006	/ /	IBM_TDB USPAT;	2003/12/03
_	806		1	1 ' '
		sequentially)) and @ad<20010531	US-PGPUB;	16:23
			EPO; JPO;	
			DERWENT;	
	162	/page with goods with /gomeones	USPAT;	2003/12/03
-	102	(page with search with (sequence sequentially)) and @ad<20010531	US-PGPUB;	16:25
		sequentially)) and ead<20010331	EPO; JPO;	10.23
			DERWENT;]
1			IBM TDB]
l _	110	(page with search with (sequence	USPAT;	2003/12/03
1	110	sequentially)) and memory and	US-PGPUB;	16:25
[Gad<20010531	EPO; JPO;	*0.20
			DERWENT;	
ļ			IBM_TDB	1
_	27	((page with search with (sequence	USPAT;	2003/12/03
	"	sequentially)) same memory) and	US-PGPUB;	16:48
		Gad<20010531	EPO; JPO;	
		0	DERWENT;	
			IBM TDB	
l _	2	("search page memory") and @ad<20010531	USPAT;	2003/12/03
		, armen page momony , and cadebook	US-PGPUB;	16:53
1			EPO; JPO;	'
			DERWENT;	
			IBM TDB	
-	250	(search\$3 with "page table") and	USPAT;	2003/12/03
	1	@ad<20010531	US-PGPUB;	16:54
	1	-	EPO; JPO;	
			DERWENT;	
[IBM TDB	
-	233	(search\$3 with "page table" and memory)	USPAT;	2003/12/03
		and @ad<20010531	US-PGPUB;	16:54
			EPO; JPO;	
			DERWENT;	ļ .
!			IBM TDB	

-	233	((search\$3 with "page table" and memory))	USPAT;	2003/12/03
		and @ad<20010531	US-PGPUB;	16:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	233	((search\$3 with "page table") and memory)	USPAT;	2003/12/03
		and @ad<20010531	US-PGPUB;	16:54
			EPO; JPO;	1
			DERWENT;]
			IBM_TDB	
-	148	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2003/12/03
		memory) and @ad<20010531	US-PGPUB;	16:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	956	(page same memory same linear) and	USPAT;	2003/12/03
·		@ad<20010531	US-PGPUB;	16:58
			EPO; JPO;]
			DERWENT;	l i
			IBM_TDB	/
-	350	(page with memory with linear) and	USPAT;	2003/12/03
1		@ad<20010531	US-PGPUB;	16:59
			EPO; JPO;	
ĺ			DERWENT;	
1		() () () () () () () () () ()	IBM_TDB	2002/12/22
-	18	(page with memory with linear with	USPAT;	2003/12/03
		search) and @ad<20010531	US-PGPUB;	17:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000 (10 (04
_	35	1 , 1 ,	USPAT;	2003/12/04
		@ad<20010531	US-PGPUB;	08:26
			EPO; JPO;	· .
			DERWENT;	l i
	4.1		IBM_TDB	2002/12/04
-	41	((increase increment) adj "page number")	USPAT;	2003/12/04
		and @ad<20010531	US-PGPUB;	09:37
			EPO; JPO;	
			DERWENT;	
	4.0	("	IBM_TDB	2003/12/04
-	40	("search page table") and @ad<20010531	USPAT;	2003/12/04
			US-PGPUB;	10:00
			EPO; JPO;	l i
}			DERWENT; IBM TDB	
l _	948	/search same match same mage) and	USPAT;	2003/12/04
1	340	(search same match same page) and	US-PGPUB;	10:01
1		644/20010331	EPO; JPO;	10.01
			DERWENT;	
			IBM TDB	. [
l _	568	(search with page same match) and	USPAT;	2003/12/04
	300	(search with page same match) and @ad<20010531	US-PGPUB;	10:01
			EPO; JPO;	= 0.01
			DERWENT;	
			IBM TDB	1
_	316	(search with page with match) and	USPAT;	2003/12/04
	510	Gad<20010531	US-PGPUB;	10:02
			EPO; JPO;	
			DERWENT;	1
1			IBM TDB	
l -	307	((search with page with match) not	USPAT;	2003/12/04
	""	(web\$1page)) and @ad<20010531	US-PGPUB;	10:02
		\	EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	307	((search with page with match) not	USPAT;	2003/12/04
1	55,	(web\$1page webpage)) and @ad<20010531	US-PGPUB;	10:03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	L	<u> </u>		<u> </u>

	205		IICDAM.	2003/12/04
-	305	((search with page with match) not (web\$1page webpage web\$1browser)) and	USPAT; US-PGPUB;	10:03
		@ad<20010531	EPO; JPO;	10.05
			DERWENT;	
			IBM_TDB	
-	136	((search with page with match) not ("web	USPAT;	2003/12/04
		<pre>page" web\$1page webpage web\$1browser))</pre>	US-PGPUB;	10:10
,		and @ad<20010531	EPO; JPO;	
			DERWENT;	
	57	(Hanning annual manna) and	IBM_TDB USPAT;	2003/12/04
_	5/	("serial search" and page) and @ad<20010531	US-PGPUB;	10:27
		Gad<20010331	EPO; JPO;	10.27
	1		DERWENT;	
			IBM TDB	
_	6	("serial search" same page) and	USPAT;	2003/12/04
		@ad<20010531	US-PGPUB;	10:51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000 (10 (04
-	18	(compare with "page entry") and	USPAT;	2003/12/04 11:02
-	ļ	@ad<20010531	US-PGPUB; EPO; JPO;	11:02
			DERWENT;	
			IBM TDB	:
-	10	("serial search" same memory same	USPAT;	2003/12/04
		match\$3) and @ad<20010531	US-PGPUB;	12:51
	·		EPO; JPO;	
			DERWENT;	
			IBM_TDB	/ /-
_	191	("serial search") and @ad<20010531	USPAT;	2003/12/04
			US-PGPUB;	13:03
			EPO; JPO; DERWENT;	
			IBM TDB	
_	1 0	("search a page") and @ad<20010531	USPĀT;	2003/12/04
			US-PGPUB;	13:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/12/04
_	556	("search page") and @ad<20010531	USPAT; US-PGPUB;	2003/12/04
		·	EPO; JPO;	13.04
			DERWENT;	
			IBM TDB	
-	90	("search page" same memory) and	USPAT;	2003/12/04
		@ad<20010531	US-PGPUB;	13:07
			EPO; JPO;	
			DERWENT;	
	98	("content addressable" same serial) and	IBM_TDB USPAT;	2003/12/04
-	98	("content addressable" same serial) and ded<20010531	US-PGPUB;	16:34
		644.20010031	EPO; JPO;	
			DERWENT;	
			IBM_TDB	į l
-	1	"4532606".PN.	USPAT	2003/12/04
1		"	LUGDAE	13:17
-	1	"4959811".PN.	USPAT	2003/12/04
	0	(scsi same load\$3 same reconnect same	USPAT;	2003/12/04
-		tag) and @ad<20010531	US-PGPUB;	16:34
		cag, and cad 20010001	EPO; JPO;	- 3 • 5 •
			DERWENT;	
			IBM_TDB	
-	17	(scsi same reconnect same tag) and	USPAT;	2003/12/04
	}	@ad<20010531	US-PGPUB;	16:35
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM TDB	